

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **TM CLEAROXID**

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses biocidal product
 professional use (SU2)
 industrial use (SU3)

Uses advised against this information is not available

1.3 Details of the supplier of the safety data sheet

Thonhauser GmbH
 Perlhofgasse 2/1
 2372 Giesshübl/Wien
 Austria

Telephone: +43 (0)2236 320 272
 Telefax: +43 (0)2236 320 273
 e-mail: QA@thonhauser.net
 Website: www.thonhauser.net

e-mail (competent person) QA@thonhauser.net (Herr Dr. Daniel Herzog)

1.4 Emergency telephone number

Manufacturer **+43 699 141 80 200**
 Mon - Thu 07:00 - 15:00, Fri 07:00 - 13:00

Poison centre & Emergency information service

United Kingdom	CHEMTREC UK 24/7 CCN 819393	+44 870 8200418
----------------	--------------------------------	-----------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of H-phrases: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word **danger**

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

- Pictograms

GHS07, GHS08



- Hazard statements

H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H319 Causes serious eye irritation.
 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 H335 May cause respiratory irritation.
 H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P285 In case of inadequate ventilation wear respiratory protection.
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.

- Hazardous ingredients for labelling

disodium peroxodisulphate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.





SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture


Name of substance	Identifier	Conc.	Classification acc. to GHS	Pictograms	M-Factors
Disodium peroxodisulphate	CAS No 7775-27-1 EC No 231-892-1	25 – < 50 wt%	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335		
Sulphamidic acid	CAS No 5329-14-6 EC No 226-218-8	10 – < 25 wt%	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Chronic 3 / H412		
3-Carboxy-3-hydroxypentanedioic acid	CAS No 77-92-9 5949-29-1 EC No 201-069-1	5 – < 10 wt%	Eye Irrit. 2 / H319		
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide	EC No 932-051-8	5 – < 10 wt%	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Aquatic Chronic 3 / H412		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Name of substance	Identifier	Conc.	Classification acc. to GHS	Pictograms	M-Factors
Sodium p-cumenesulphonate	CAS No 15763-76-5 EC No 239-854-6	1 - < 5 wt%	Eye Irrit. 2 / H319		

For full text of abbreviations: see SECTION 16.

Regulation 528/2012/EU concerning the making available on the market and use of biocidal products

Biocidal active substances		
Name of substance	W/v	Unit
Disodium peroxodisulphate		G/l

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂), phosphorus oxides (P_xO_y), sulphur oxides (SO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

covering of drains, take up mechanically

Advice on how to clean up a spill

Take up mechanically. Absorbents and binders, neutralising agents.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Incompatible substances or mixtures: see section 7. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.

- Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

- Handling of incompatible substances or mixtures

- Keep away from

bases (alkalis)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

- Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Removal of dust deposits.

- Incompatible substances or mixtures

Prohibition of joint storage (with): bases (alkalis)

- Floors

The materials shall display sufficient resistance to the prevalent chemical conditions (Acids).

- Consideration of other advice

Observe technical data sheet.

Lagerklasse (storage class according to TRGS 510, Germany): 11 (combustible solids)

- Ventilation requirements

Use local and general ventilation.

7.3 Specific end use(s)

These information are not available.

7.4 Other information

recommended storage temperature: 5 - 25 °C

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	Dust		WEL		10					i	EH40/2005
GB	Dust		WEL		4					r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur.

i Inhalable fraction.

r Respirable fraction.

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified).

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Relevant DNELs/DMELs/PNECs and other threshold levels

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Disodium peroxodisulphate	7775-27-1	DNEL	2.06 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - local effects
Disodium peroxodisulphate	7775-27-1	DNEL	18.2 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
Disodium peroxodisulphate	7775-27-1	DNEL	2.06 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Sulphamidic acid	5329-14-6	DNEL	7.5 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	170 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DNEL	12 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects
Sodium p-cumenesulphonate	15763-76-5	DNEL	7.6 mg/kg	Human, dermal	Worker (industry)	Chronic - systemic effects
Sodium p-cumenesulphonate	15763-76-5	DNEL	53.6 mg/m ³	Human, inhalatory	Worker (industry)	Chronic - systemic effects

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Disodium peroxodisulphate	7775-27-1	PNEC	0.0763 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	3.6 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.275 mg/kg	Benthic organisms	Sediments	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.0396 mg/kg	Pelagic organisms	Sediments	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.015 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
Disodium peroxodisulphate	7775-27-1	PNEC	0.763 mg/l	Aquatic organisms	Water	Intermittent release
Disodium peroxodisulphate	7775-27-1	PNEC	0.011 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
Sulphamidic acid	5329-14-6	PNEC	0.3 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Sulphamidic acid	5329-14-6	PNEC	0.03 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
Sulphamidic acid	5329-14-6	PNEC	200 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Sulphamidic acid	5329-14-6	PNEC	0.3 mg/kg	Benthic organisms	Sediments	Short-term (single instance)
Sulphamidic acid	5329-14-6	PNEC	0.03 mg/kg	Pelagic organisms	Sediments	Short-term (single instance)
Sulphamidic acid	5329-14-6	PNEC	3 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
Sulphamidic acid	5329-14-6	PNEC	0.3 mg/l	Aquatic organisms	Water	Intermittent release
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	PNEC	0.44 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	PNEC	0.044 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	PNEC	1,000 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	PNEC	34.6 mg/kg	Benthic organisms	Sediments	Short-term (single instance)
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	PNEC	3.46 mg/kg	Pelagic organisms	Sediments	Short-term (single instance)
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	PNEC	33.1 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	0.268 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	5.6 mg/l	Aquatic organisms	Sewage treatment plant (STP)	Short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	8.1 mg/kg	Aquatic organisms	Freshwater sediment	Short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	8.1 mg/kg	Aquatic organisms	Marine sediment	Short-term (single instance)
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	35 mg/kg	Terrestrial organisms	Soil	Short-term (single instance)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	0.055 mg/l	Aquatic organisms	Water	Intermittent release
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		PNEC	0.0268 mg/l	Aquatic organisms	Marine water	Short-term (single instance)
Sodium p-cumenesulphonate	15763-76-5	PNEC	0.23 mg/l	Aquatic organisms	Freshwater	Short-term (single instance)
Sodium p-cumenesulphonate	15763-76-5	PNEC	100 mg/l	Microorganisms	Sewage treatment plant (STP)	Short-term (single instance)
Sodium p-cumenesulphonate	15763-76-5	PNEC	2.3 mg/l	Aquatic organisms	Water	Intermittent release

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)



Eye/face protection

Wear eye/face protection. Use safety goggle with side protection. Use protective eyewear to guard against splash of liquids. EN 166.

Skin protection

- Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Protective gloves - Splash protection

Recommended protective gloves (trademark/manufacturer):

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Particulate filter device (EN 143).

Chemical protective clothing

Wear suitable protective clothing.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Environmental exposure controls

Avoid release to the environment. Refer to special instructions/safety data sheets. Before discharge of the waste water into a municipal waste water treatment facility the product normally needs to be neutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	solid
Colour	various
Odour	characteristic

Other safety parameters

pH (value)	2 – 3 (water: 10 ^{g/l} , 20 °C) *
Melting point/freezing point	not determined
Initial boiling point and boiling range	>400 °C at 101 kPa
Flash point	not applicable
Evaporation rate	not determined
Flammability (solid, gas)	this material is combustible, but will not ignite readily
Explosion limits of dust clouds	not determined
Vapour pressure	0.00000221 Pa at 25 °C
Density	not determined
Vapour density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	
- n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	
Viscosity	not relevant (solid matter)
Explosive properties	none
Oxidising properties	none

9.2 Other information

Solvent content	0 %
Solid content	100 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

Exhibits an exothermic reaction (with): Caustic solutions (Alkalis)
 Dangerous/dangerous reactions with: base metals (formation of hydrogen), oxidisers

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Disodium peroxodisulphate	7775-27-1	Oral	1,200 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	LC50	440 mg/l	Fish	48 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		EC50	8.8 mg/l	Aquatic invertebrates	48 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		ErC50	72 mg/l	Algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
3-Carboxy-3-hydroxypentanedioic acid	77-92-9 5949-29-1	LC50	1,535 mg/l	Aquatic invertebrates	24 h
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		EC50	8.8 mg/l	Aquatic invertebrates	24 h

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Reaction product of Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs. and Benzenesulfonic acid, 4-methyl- and sodium hydroxide		DOC removal	94 %	28 d		ECHA
Sodium p-cumenesulphonate	15763-76-5	Carbon dioxide generation	103 - 109 %	28 d		

12.3 Bioaccumulative potential

Data are not available.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Sodium p-cumenesulphonate	15763-76-5		-1.1 (pH value: 6.9, 23 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Recycling/reclamation of other inorganic materials.

Sewage disposal-relevant information

The application solution can be disposed in the sewage system, taking into account technical and national regulations.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

Waste catalogue ordinance (Germany)

Assign arising waste to a waste code according to the national list of waste

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations
14.2	UN proper shipping name	not relevant
14.3	Transport hazard class(es)	none
14.4	Packing group	not assigned to a packing group
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6	Special precautions for user	
		There is no additional information.
14.7	Transport in bulk according to Annex II of MARPOL and the IBC Code	
		The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
 Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Deco-Paint Directive (2004/42/EC)

VOC content 0 %

Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content 0 %

Regulation 648/2004/EC on detergents

Labelling of contents	
Constituents	Weight % content (or range)
Phosphates	15 % or over but less than 30 %
Anionic surfactants	5 % or over but less than 15 %

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)
TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
Log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
NLP	No-Longer Polymer
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
Ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TRGS	Technische Regeln für GefahrStoffe (technical rules for hazardous substances, Germany)
TWA	Time-weighted average
VOC	Volatile Organic Compounds
VPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

TM CLEAROXID

Version number: GHS 2.1
Replaces version of: 2017-07-20 (GHS 1)

Revision: 2019-11-06

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.